



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Vivian T. Chen, MSW, ScD
Health Operations Director

Health Department

Consumer Environmental Health

Frank P. Zeidler Municipal Building, 841 North Broadway, Room 304, Milwaukee, WI 53202-3653 Phone: (414) 286-3674 Fax: (414) 286-5164
web site: www.milwaukee.gov/health

Routine Food Inspection

BAJ, INC.
BRETT'S FARMHOUSE
7424 N 60TH ST
MILWAUKEE, WI 53223

August 29, 2007

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

Fee Amount: \$0.00

Code Number	Description of Violation	Correct By
2-301.16	Approved hand sanitizers may only be used after hands are washed. At the bar sink, provide soap and single use hand towels for the bartender for handwashing.	08/29/2007
4-601.11	The ice machine drain of the ice machine in the basement has mold/slime growth at the tip. Clean and maintain clean the drain to prevent mold/slime growth back into the ice machine.	09/12/2007
	The bottom floor of the undercounter beer coolers are dirty and have some mold/slime growth. Clean and maintain clean the floor of the undercounter beer coolers.	
6-501.114	There is a leak in the pipe near the prep area in the basement. Repair the leak to code.	09/12/2007

Inspection Notes

On 8/29/2007, I served these orders upon BAJ, INC. by leaving this report with

Inspector Signature (Inspector ID: 66)

Operator Signature

Signal original copy
- recreated copy -

Please be advised that this document is subject to public review under open records law. - Wis. Statutes section 19.35(1)(a)